



Kansas EPCRA Tier II Emergency & Hazardous Chemical Inventory
Mail to: Right-to-Know Program
1000 SW Jackson Suite 330
Topeka KS 66612-1365
(785) 296-1688

Important: Read all instructions before completing form

2. Facility Identification 2a. New Facility ☐ Yes ☒ No

1. Reporting Period
From January 1 to December 31, 2022 Page 1 of 6

3a. Owner/Operator Identification

Name SHEARS DIV-SALINA PLANT 4196

Street Address I-70 & JEEP ROAD

Latitude 38.9407470 Longitude -97.1681820

City ABILENE County DICKINSON State KS Zip 67410

Phone 67410

NAICS 324121

RMP Fac ID ☒ N/A

TRI Fac ID ☒ N/A

Max # of occupants ☒ Manned ☐ Unmanned

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?

☐ Yes ☒ No

Subject to Chemical Accident Prevention under Section 112c of CAA (40 CFR part 68)?

☐ Yes ☒ No

4a. Tier II Contact

Name ERIC WILLEMS Title EHS REP

Phone 620-662-3307 24-hour phone 620-200-6928

Email eric.willems@apac.com

4b. Emergency Contact

Name SHAWN COMMERTFORD Title CONST MGR

Phone 785-823-5537 24-hour Phone 785-829-0592

Email shawn.commertford@apac.com

Name JASON HEIS Title BRANCH MGR

Phone 785-823-5537 24-hour Phone 785-577-7773

Email jason.heis@apac.com

6. Optional Attachments

☐ Site Plan

☐ Site Coordinate Abbreviations

☐ Description of Dikes

☐ Other Safeguard Measures

For Official Use Only

Facility ID #

Parent ID #

Entered by

☒ Section 312

☐ Section 311

☐ Section 302

☒ Annual

☐ Revision

☐ Identical to last year

3b. Mailing Address if different from Owner/Operator Address

Business Name

Address

City HUTCHINSON

State KS

Zip 67501

Country USA

Business Phone 620-662-3307

Submitter ERIC WILLEMS

Email eric.willems@apac.com

Dun & Bradstreet 007990260

7. Certification (Read and sign after completing all Sections)
I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages 1 through 6 and based on my inquiry of those individuals responsible for obtaining this information, I believe the submitted information is true, accurate, and complete.

Eric Willems EHS Representative 02-24-2023

Name and official title of owner/operator or authorized representative

Date

Signature

Chemical Description		Physical Hazards		Health Hazards		Storage Types & Locations ☐ if Confidential					
Chemical Name: HOT-MIX ASPHALT CAS #: NONE EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable):		☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gases under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified		☒ Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified		Container Type Silo Pressure Ambient pressure Temperature Greater than ambient temperature Storage Location ON-SITE Maximum Daily Amount (lbs) 120,000 Average Daily Amount (lbs) 60,000 Number of Days on Site 240 ☐ Optional Report					
Chemical Name: HP PLUS CAS #: NONE EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable):		☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gases under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified		☐ Acute toxicity (any route of exposure) ☒ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified		Container Type Above Ground Tank Pressure Ambient pressure Temperature Ambient temperature Storage Location ON-SITE Maximum Daily Amount (lbs) 6,150 Average Daily Amount (lbs) 3,075 Number of Days on Site 365 ☒ Optional Report					

Chemical Description	Physical Hazards	Health Hazards	Storage Types & Locations			
			Container Type	Pressure Ambient pressure	Temperature Ambient temperature	Storage Location ☐ Off-Site ☐ On-Site
Chemical Name: LIMESTONE AGGREGATE CAS #: 1317-65-3 EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable):	☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified	☐ Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☒ Carcinogenicity ☐ Reproductive toxicity ☒ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified	☒ Optional Report Container Type: _____ Pressure: _____ Ambient pressure Temperature: _____ Ambient temperature Storage Location: ☐ PIPES ON SITE Other: _____			
Chemical Name: NATURAL GAS CAS #: 64741-48-6 EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable):	☐ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified	☐ Acute toxicity (any route of exposure) ☒ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☒ Carcinogenicity ☒ Reproductive toxicity ☒ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified	☒ Optional Report Container Type: _____ Pressure: _____ Ambient pressure Temperature: _____ Ambient temperature Storage Location: ☐ PIPES ON SITE Other: _____			

8. Chemical Information

Chemical Description	Physical Hazards	Health Hazards	Storage Types & Locations ☐ if Confidential																
Chemical Name: RECYCLED ASPHALT CAS #: NONE EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable): ☒ Solid ☐ Liquid ☐ Gas ☐ Pure ☒ Mix ☐ Trade Secret	☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified	☐ Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure Ambient pressure</th> <th>Temperature Ambient temperature</th> <th>Storage Location</th> </tr> </thead> <tbody> <tr> <td>Other</td> <td></td> <td></td> <td>☐ ON-SITE</td> </tr> <tr> <td colspan="4"> 400,000,000 Maximum Daily Amount (lbs) 360,000,000 Average Daily Amount (lbs) </td> </tr> <tr> <td colspan="4"> 365 Number of Days on Site </td> </tr> </tbody> </table> ☒ Optional Report	Container Type	Pressure Ambient pressure	Temperature Ambient temperature	Storage Location	Other			☐ ON-SITE	400,000,000 Maximum Daily Amount (lbs) 360,000,000 Average Daily Amount (lbs)				365 Number of Days on Site			
Container Type	Pressure Ambient pressure	Temperature Ambient temperature	Storage Location																
Other			☐ ON-SITE																
400,000,000 Maximum Daily Amount (lbs) 360,000,000 Average Daily Amount (lbs)																			
365 Number of Days on Site																			
Chemical Name: SAND CAS #: 14808-60-7 EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable): ☒ Solid ☐ Liquid ☐ Gas ☐ Pure ☐ Mix ☐ Trade Secret	☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified	☐ Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☒ Carcinogenicity ☐ Reproductive toxicity ☒ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure Ambient pressure</th> <th>Temperature Ambient temperature</th> <th>Storage Location</th> </tr> </thead> <tbody> <tr> <td>Other</td> <td></td> <td></td> <td>☐ ON-SITE</td> </tr> <tr> <td colspan="4"> 60,000,000 Maximum Daily Amount (lbs) 16,000,000 Average Daily Amount (lbs) </td> </tr> <tr> <td colspan="4"> 365 Number of Days on Site </td> </tr> </tbody> </table> ☒ Optional Report	Container Type	Pressure Ambient pressure	Temperature Ambient temperature	Storage Location	Other			☐ ON-SITE	60,000,000 Maximum Daily Amount (lbs) 16,000,000 Average Daily Amount (lbs)				365 Number of Days on Site			
Container Type	Pressure Ambient pressure	Temperature Ambient temperature	Storage Location																
Other			☐ ON-SITE																
60,000,000 Maximum Daily Amount (lbs) 16,000,000 Average Daily Amount (lbs)																			
365 Number of Days on Site																			

MIXTURE COMPONENT INFORMATION FORM

Chemical Name: HOT-MIX ASPHALT

CAS #: NONE

Mixture Component Chemicals	%	CAS #	EHS
ASPHALT CEMENT	3-8	8052-42-4	☐
LIMESTONE AGGREGATE	0-90	1317-65-3	☐
SAND	0-90	14808-60-7	☐
			☐
			☐
			☐
			☐
			☐
			☐

Chemical Name: RECYCLED ASPHALT

CAS #: NONE

Mixture Component Chemicals	%	CAS #	EHS
ASPHALT CEMENT	3-8	8052-42-4	☐
LIMESTONE AGGREGATE	0-90	1317-65-3	☐
SAND	0-90	14808-60-7	☐
			☐
			☐
			☐
			☐
			☐
			☐

Chemical Name:

CAS #:

Mixture Component Chemicals	%	CAS #	EHS
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐

Chemical Name:

CAS #:

Mixture Component Chemicals	%	CAS #	EHS
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐

8. Chemical Information

Chemical Description	Physical Hazards	Health Hazards	Storage Types & Locations ☐ if Confidential					
Chemical Name: USED OIL CAS #: NONE EHS: ☐ Yes ☒ No EHS Name (if applicable): EHS CAS # (if applicable):	☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified	☐ Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified	Container Type Above Ground Tank Pressure Ambient pressure Temperature Ambient temperature Storage Location WASTEWATER TREATMENT	72,000 Maximum Daily Amount (lbs) 36,000 Average Daily Amount (lbs) 365 Number of Days on Site ☒ Optional Report	Chemical Name: CAS #: EHS: ☐ Yes ☐ No EHS Name (if applicable): EHS CAS # (if applicable):	☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (gas, liquid, or solid) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard not otherwise classified	☐ Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple asphyxiant ☐ Hazard not otherwise classified	Container Type Pressure Temperature Storage Location

CAS #: 7664-93-9

[illegible]

CAS #:

[illegible]

CAS #:

[illegible]

CAS #:

[illegible]